

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appellant	:	Kazutoyo MAEHIRO	Group Art Unit: 2161
Appln. No.	:	09/820,554	Examiner: Susan Y. Chen
Filed	:	March 29, 2001	Confirmation No.: 4973
For	:	MEMBERSHIP INFORMATION RETRIEVAL SERVER, USER TERMINAL, MESSAGE - SENDING TERMINAL, AND METHOD FOR RETRIEVING MEMBERSHIP INFORMATION AND FOR SENDING MESSAGE	

APPEAL BRIEF UNDER 37 C.F.R. § 41.37

Commissioner for Patents
U.S. Patent and Trademark Office
Customer Service Window, Mail Stop Appeal Brief-Patents
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Sir :

This appeal is from the Examiner's rejection of claims 1 – 13, 15 – 28, and 30, as set forth in the Official Action of January 20, 2006.

A Notice of Appeal was filed on April 20, 2006, in response to the Official Action dated January 20, 2006. This Appeal Brief is being resubmitted in response to a Notification of Non-Compliant Appeal Brief issued on October 3, 2006, in which a one-month period for response was set to expire on November 3, 2006. The requisite fee for filing a Notice of Appeal under 37 C.F.R. 41.20 (b)(1) was paid on April 20, 2006. The requisite fee for filing an Appeal Brief under 37 C.F.R. § 1.17(c) was submitted with an Appeal Brief on June 20, 2006. However, if for any reason the necessary fees are not

associated with this file or the attached fee is inadequate, the Commissioner is authorized to charge any necessary fees to Deposit Account No. 19-0089.

(1) **REAL PARTY IN INTEREST**

The real party in interest is Kabushiki Kaisha Square Enix (also trading as Square Enix Co., LTD), as established by a Merger recorded in the U.S. Patent and Trademark Office on August 7, 2003, at Reel 014360 and Frame 0827.

(2) **RELATED APPEALS AND INTERFERENCES**

No related appeals and/or interferences are pending.

(3) **STATUS OF THE CLAIMS**

Claims 1 – 13, 15 – 28, and 30 stand rejected. Claims 14, 29, and 31 have been canceled. A copy of claims 1 – 13, 15 – 28, and 30, the rejections of which are appealed, is attached as an Appendix to this brief.

(4) **STATUS OF THE AMENDMENTS**

No amendments have been submitted subsequent to the Official Action mailed January 20, 2006.

(5) SUMMARY OF THE CLAIMED SUBJECT MATTER

Initially, Appellant notes that the following descriptions are made with respect to the independent claims and include references to particular parts of the specification. As such, the following are merely exemplary and are not a surrender of other aspects of the present invention that are also enabled by the present specification and that are directed to equivalent structures or methods.

The following citations to Figures, elements, pages and lines of the specification are merely exemplary and, as such, should be considered non-exclusive citation to disclosure in the specification which supports features recited in the claims.

Independent claim 1 requires a membership information retrieval server for retrieving membership information by accepting at least one retrieval condition from a group of user terminals, comprising: a storage device for receiving the membership information from a group of users and storing the membership information, the membership information-comprising user-entered text messages that are dynamically updated by the users and the membership information further comprising dynamically updated video game status information; a retrieval system that compares the at least one retrieval condition with the user-entered information and extracts selected membership information from the storage device; and a communications system that sends the membership information extracted by the retrieval system to the user terminals from which the at least one retrieval condition are sent.

In this regard, exemplary embodiments of the present specification are shown in

Figures 1-13 and disclosed at page 3, line 12 to page 26, line 24. The exemplary embodiments disclose a membership information retrieval server (page 3, line 12 to page 5, line 11) for retrieving (page 18, lines 11-24) membership information by accepting at least one retrieval condition from a group of user terminals (Figure 1, elements 103a, 103b, 104a, 104b) comprising: a storage device for receiving (page 19, lines 3-13) the membership information from a group of users and storing (page 19, lines 2-3) the membership information, the membership information—comprising user-entered text messages that are dynamically updated (page 19, lines 9-13) by the users and the membership information further comprising dynamically updated video game status information (page 19, lines 9-13); a retrieval system that compares (page 19, lines 18-21) the at least one retrieval condition with the user-entered information and extracts (page 19, lines 21-24) selected membership information from the storage device; and a communications system that sends (page 19, line 27 to page 20, line 4) the membership information extracted by the retrieval system to the user terminals (Figure 1, elements 103a, 103b, 104a, 104b) from which the at least one retrieval condition are sent (page 18, lines 11 – 24).

Independent claim 15 requires a method for sending a message, comprising: receiving membership information about members sent from a group of user terminals by a server and storing the membership information in a storage device in the server, the membership information comprising user-entered text messages that are dynamically updated by the users and the membership information further comprising

P23935.A12

dynamically updated video game status information; sending at least one retrieval condition to the server from one of the group of user terminals; comparing the at least one retrieval condition with the dynamically updated user-entered information and determining selected membership information that matches the at least one retrieval condition; extracting the selected membership information from the storage device and sending the extracted membership information to the user terminal that sent the at least one retrieval condition; displaying the membership information sent from the server on a display of the user terminal, accepting the selection of a plurality of members included in the displayed membership information to create a temporary user list that includes the membership information about a plurality of accepted members; and sending a message entered in the user terminal to the plurality of members in the created temporary user list.

In this regard, exemplary embodiments of the present specification are shown in Figures 1-13 and disclosed at page 3, line 12 to page 26, line 24. The exemplary embodiments disclose a method (page 6, line 26 to page 7, line 20) for sending a message, comprising: receiving (page 19, lines 3-13) membership information about members sent from a group of user terminals (Figure 1, elements 103a, 103b, 104a, 104b) by a server (Figure 1, element 115) and storing (page 19, lines 2-3) the membership information in a storage device in the server (Figure 1, element 115), the membership information comprising user-entered text messages that are dynamically updated (page 19, lines 9-13) by the users and the membership information further

P23935.A12

comprising dynamically updated video game status information (page 19, lines 9-13); sending at least one retrieval condition (page 18, lines 11 – 24) to the server (Figure 1, element 115) from one of the group of user terminals (Figure 1, elements 103a, 103b, 104a, 104b); comparing (page 19, lines 18-21) the at least one retrieval condition with the dynamically updated user-entered information and determining selected membership information that matches the at least one retrieval condition; extracting (page 19, lines 21-24) the selected membership information from the storage device and sending (page 19, line 27 to page 20, line 4) the extracted membership information to the user terminal (Figure 1, elements 103a, 103b, 104a, 104b) that sent (page 18, lines 11-24) the at least one retrieval condition; displaying (Figure 5; page 20, lines 7-16) the membership information sent (page 19, line 27 to page 20, line 4) from the server (Figure 1, element 115) on a display of the user terminal (Figure 1, elements 103a, 103b, 104a, 104b), accepting (Figure 5, element 303; page 20, lines 7-16) the selection of a plurality of members included in the displayed membership information to create (Figure 9; page 21, lines 9-25) a temporary user list that includes the membership information about a plurality of accepted members; and sending (page 22, line 15 to page 23, line 3) a message entered in the user terminal (Figure 1, elements 103a, 103b, 104a, 104b) to the plurality of members in the created temporary user list.

Independent claim 16 requires a method for retrieving membership information by accepting at least one retrieval condition from a group of user terminals, comprising: receiving membership information about members sent from a group of user terminals

and storing the membership information in a storage device in the server, the membership information comprising user-entered text messages that are dynamically updated by the users and the membership information further comprising dynamically updated video game status information; comparing the at least one retrieval condition with the dynamically updated user-entered information and determining selected membership information that matches the at least one retrieval condition; extracting the selected membership information; and sending the extracted membership information from the server to the user terminals that sent the at least one retrieval condition.

In this regard, exemplary embodiments of the present specification are shown in Figures 1-13 and disclosed at page 3, line 12 to page 26, line 24. The exemplary embodiments disclose a method (page 7, line 21 to page 9, line 20) for retrieving (page 18, lines 11-24) membership information by accepting at least one retrieval condition from a group of user terminals (Figure 1, elements 103a, 103b, 104a, 104b), comprising: receiving (page 19, lines 3-13) membership information about members sent from a group of user terminals (Figure 1, elements 103a, 103b, 104a, 104b) and storing (page 19, lines 2-3) the membership information in a storage device in the server (Figure 1, element 115), the membership information comprising user-entered text messages that are dynamically updated (page 19, lines 9-13) by the users and the membership information further comprising dynamically updated video game status information (page 19, lines 9-13); comparing (page 19, lines 18-21) the at least one retrieval condition with the dynamically updated user-entered information and

P23935.A12

determining selected membership information that matches the at least one retrieval condition; extracting (page 19, lines 21-24) the selected membership information; and sending (page 19, line 27 to page 20, line 4) the extracted membership information from the server (Figure 1, element 115) to the user terminals (Figure 1, elements 103a, 103b, 104a, 104b) that sent (page 18, lines 11-24) the at least one retrieval condition.

Independent claim 30 requires a recording medium, storing a readable program, wherein the program executes: receiving membership information about members sent from a group of user terminals to store in a storage device of a server, the membership information comprising user-entered text messages that are dynamically updated by the users and the membership information further comprising dynamically updated video game status information; sending at least one retrieval condition to the server from one of the group of user terminals; comparing the at least one retrieval condition with the dynamically updated user-entered information to determine selected membership information that matches the at least one retrieval condition; extracting the selected membership information from the storage device and sending the extracted membership information to the user terminal that sent the at least one retrieval condition; displaying the membership information sent from the server on displays of the user terminals, accepting selection of a plurality of members included in the displayed membership information to create a temporary user list that includes the membership information about the selected members; and sending a message entered in the user terminal to the members in the created temporary user list.

In this regard, exemplary embodiments of the present specification are shown in Figures 1-13 and disclosed at page 3, line 12 to page 26, line 24. The exemplary embodiments disclose a recording medium (page 11, lines 2-20), storing a readable program, wherein the program executes: receiving (page 19, lines 3-13) membership information about members sent from a group of user terminals (Figure 1, elements 103a, 103b, 104a, 104b) to store (page 19, lines 2-3) in a storage device of a server (Figure 1, element 115), the membership information comprising user-entered text messages that are dynamically updated (page 19, lines 9-13) by the users and the membership information further comprising dynamically updated video game status information (page 19, lines 9-13); sending (page 18, lines 11-24) at least one retrieval condition to the server (Figure 1, element 115) from one of the group of user terminals (Figure 1, elements 103a, 103b, 104a, 104b); comparing (page 19, lines 18-21) the at least one retrieval condition with the dynamically updated user-entered information to determine selected membership information that matches the at least one retrieval condition; extracting (page 19, lines 21-24) the selected membership information from the storage device and sending (page 19, line 27 to page 20, line 4) the extracted membership information to the user terminal (Figure 1, elements 103a, 103b, 104a, 104b) that sent (page 18, lines 11-24) the at least one retrieval condition; displaying (Figure 5; page 20, lines 7-16) the membership information sent (page 19, line 27 to page 20, line 4) from the server (Figure 1, element 115) on displays of the user terminals (Figure 1, elements 103a, 103b, 104a, 104b), accepting (Figure 5, element 303; page 20, lines 7-16) selection of a plurality of members

included in the displayed membership information to create (Figure 9; page 21, lines 9-25) a temporary user list that includes the membership information about the selected members; and sending (page 22, line 15 to page 23, line 3) a message entered in the user terminal (Figure 1, elements 103a, 103b, 104a, 104b) to the members in the created temporary user list.

(6) GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL

Whether Claims 1 – 13, 15 – 28 and 30 are properly rejected under 35 U.S.C. 103(a) as obvious over MACNAUGHTON et al. (U.S. Patent No. 6,433,795, also referred to simply as MACNAUGHTON) in view of JUNKIN (U.S. Patent No. 6,193,610).

(7) ARGUMENT

**Claims 1 – 13, 15 – 28 and 30 Are Not Obvious over MACNAUGHTON in View of
JUNKIN under 35 U.S.C. §103(a)**

The References Relied upon by the Examiner Are Non-analogous

The references relied upon by the examiner are non-analogous. Two criteria have evolved for determining whether prior art is analogous: (1) whether the art is from the same field of endeavor, regardless of the problem addressed, and (2) if the reference is not within the field of the inventor's endeavor, whether the reference still is reasonably pertinent to the particular problem with which the inventor is involved. *In re Deminski*, 796

F.2d 436, 442, 230 USPQ 313, 315 (Fed. Cir. 1986); *In re Wood*, 599 F.2d 1032, 1036, 202 USPQ 171, 174 (CCPA 1979).

The present invention relates to messaging (such as email). More specifically, the present invention relates to searching membership profiles, including video game status information. In one embodiment, the search results are used to determine message recipients. JUNKIN, on the other hand, relates to interactive TV, including enabling participants to engage in TV programming, such as sports, games and other events. The examiner relies upon the abstract, Figs. 4A – 4B, and portions of col. 8 – 10. The passages of JUNKIN upon which the examiner relies (as well as the rest of JUNKIN) are entirely unrelated to searching membership information of other users and sending messages to other users.

Consequently, it is submitted that at least JUNKIN is non-analogous to the present invention because it is from a different field of endeavor and because it is not pertinent to the problems addressed by the inventors of the claimed invention.

There Is No Motivation to Combine MACNAUGHTON et al. with JUNKIN

Even if the references are considered analogous (which they are not), there is no suggestion, motivation, incentive, or reason to combine them in the manner proposed by the examiner, except that provided in Appellant's specification. "[T]he record must provide a teaching, suggestion, or reason to substitute computer-controlled valves for the system of hoses in the prior art. The absence of such a suggestion to combine is dispositive in an

obviousness determination." See *SmithKline Diagnostics, Inc. v. Helena Lab. Corp.*, 859 F.2d 878, 886-87, 8 USPQ2d 1468, 1475 (Fed. Cir. 1988).

The examiner's motivation for combining the references is to "provide a user friendly real time video game status and allows the player to make selections as desired." However, MACNAUGHTON et al. is not concerned with user friendly video game status. Nor does JUNKIN provide any teaching or suggestion for combination with a system such as MACNAUGHTON et al.

Although not clearly stated, it is assumed the "selection" to which the examiner is referring is the selecting recited in claims 13, 15, 28 and 30. At least because JUNKIN is unconcerned with messaging between users, JUNKIN is not related to selecting members, included in the displayed membership information, to be message recipients. One who is reading JUNKIN would not look to MACNAUGHTON for the teachings of the present invention. Similarly, one who is learning about the online service community of MACNAUGHTON would have no reason to look to the interactive TV teachings of JUNKIN. The only motivation for the proposed combination is provided by Appellant's specification.

The Combination of MACNAUGHTON et al. with JUNKIN Does Not Teach or Suggest
All of the Limitations of Claims 1, 15, 16 or 30

Even if combined, the references fail to teach all the recited claim limitations. For example, claim 1 requires a membership information retrieval server for retrieving membership information by accepting at least one retrieval condition from a group of

P23935.A12

user terminals. The server includes a storage device for receiving the membership information from a group of users and storing the membership information comprising user-entered text messages that are dynamically updated by the users as well as dynamically updated video game status information. The server also includes a retrieval system and a communications system. The retrieval system compares the at least one retrieval condition with the user-entered information and extracts selected membership information from the storage device. The communications system sends the membership information extracted by the retrieval system to the user terminals from which the at least one retrieval condition are sent.

Claim 15 recites a method for sending a message. The method includes receiving membership information about members sent from a group of user terminals by a server and storing the membership information in a storage device in the server. The membership information includes user-entered text messages that are dynamically updated by the users and dynamically updated video game status information. The method also includes sending at least one retrieval condition to the server from one of the group of user terminals; and comparing the at least one retrieval condition with the dynamically updated user-entered information and determining selected membership information that matches the at least one retrieval condition. The method further includes extracting the selected membership information from the storage device and sending the extracted membership information to the user terminal that sent the at least one retrieval condition; as well as displaying the membership information sent from the

P23935.A12

server on a display of the user terminal, accepting the selection of a plurality of members included in the displayed membership information to create a temporary user list that includes the membership information about a plurality of accepted members. The method further includes sending a message entered in the user terminal to the plurality of members in the created temporary user list.

Claims 16 and 30 include similar recitations.

Each of claims 1, 15, 16 and 30 requires "user-entered text messages that are dynamically updated by the users." In the rejection, the examiner relies upon col. 8, lines 33 – 42 to teach such a claim limitation. The passage, however, describes collecting information during the membership process and canceling the membership to delete the profile data. It is submitted that entering information during a membership process is exactly the opposite of dynamically updating information. It is believed that the disclosed membership process is a one time event that precludes the possibility of later updates. There is no discussion of such updating. Moreover, creating a different profile for every community is believed to be distinguishable from updating.

Not only is MACNAUGHTON's profile creation different from the embodiment recited in applicant's claims, but more importantly, MACNAUGHTON is limited to a basic Who's Online search that only searches for members who are online and returns a list of members currently online. No searching of profiles (including user entered data) is taught or suggested by MACNAUGHTON. That is, MACNAUGHTON does not describe the more sophisticated search capability of the claimed embodiment. The

passages relied upon in the outstanding Official Action to show searching dynamically entered information do not describe user-entered messages that can be searched. In this regard, the membership profile of MACNAUGHTON et al. is not searched, regardless of whether the user has a different profile for each community, whether they can cancel membership, or whether they can automatically become members. Although, MACNAUGHTON teaches searching information content from the service (col. 1, line 64), searching community comments (col. 8, line 22), and searching community membership (in other words who is in a community)(col. 9, line 45), such searches are believed to be sufficiently distinct from the claimed searching.

Further, col. 8, lines 23 -27 of MACNAUGHTON disclose that a "member of a community may also interact and communicate with other community members who have similar interests or shared circumstances by initiating synchronous communications such as chat or conferencing." Thus, MACNAUGHTON teaches that the mere fact that two members are in the same community is sufficient to determine that they have shared circumstances or similar interests. Accordingly, MACNAUGHTON does not recognize the need for an additional search capability to refine and focus the degree of similarity. Rather MACNAUGHTON teaches that the problem of finding relevant users is solved because members are already in the same community, and therefore MACNAUGHTON does not provide the advanced search capability of the claimed invention.

In addition, MACNAUGHTON discloses, at col. 15, (line numbers unclear), that the "membership search" returns a list of all users currently logged into the community.

Col. 9, lines 42/43 is consistent, and indicates that community membership can be searched. In contrast, at least claims 1, 15, 16 and 30 require searching dynamically updated user entered membership information. Whether or not a user is within a community is not dynamically updated user entered text messages.

Further, the above-noted features, which are not disclosed or suggested by MACNAUGHTON, are also not disclosed or suggested by JUNKIN; nor does the outstanding Official Action assert that the above-noted features are disclosed or suggested by JUNKIN.

Therefore, for at least these reasons it is submitted that claims 1, 15, 16 and 30 are patentable over the applied prior art.

The Combination of MACNAUGHTON et al. with JUNKIN Does Not Teach or Suggest All of the Limitations of Claims 13, 15, 28, or 30

Claims 13, 15, 28 and 30 each recite a feature for "accepting selection of a plurality of members", and creating a "temporary user list that includes membership information about a plurality of selected members" or substantially similar language.

MACNAUGHTON does not disclose or suggest any similar feature, and the portions of MACNAUGHTON applied in the Official Action as disclosing these features have absolutely nothing to do with creating a temporary list of users based upon the

search results. For example, the examiner relies upon Figs. 4 and 5 and the associated text. Fig. 4 relates to a tracking server that logs activities of users served by community servers. Fig. 5 relates to a threaded message server used to create and retrieve member threaded message annotations created on specific web pages. These cited portions do not retrieve membership information, display the retrieved membership information, accept selection of a plurality of members included in the displayed membership information to create a temporary list that includes the membership information about the selected members, or send a message to the members in the created temporary list, for example as recited in claim 30.

The cited portions are entirely unrelated to transmitting messages to users in a temporary list or even creating the temporary list. The rejections of claims 13, 15, 28 and 30 are so lacking in substance, that it is difficult to even find similarities between the applied references and the claims to discuss in this brief. Finally, it is also noted that the examiner did not even address each and every claim limitation in claims 13, 15, 28, and 30 in the Official Actions.

The above-noted features, which are not disclosed or suggested by MACNAUGHTON, are also not disclosed or suggested by JUNKIN; nor do the Official Actions assert that the above-noted features are disclosed or suggested by JUNKIN.

Therefore, for at least these reasons it is submitted that claims 13, 15, 28, and 30 are patentable.

The Combination of MACNAUGHTON et al. with JUNKIN Does Not Teach or Suggest All of the Limitations of Claims 5, 8, 11, 12, 20, 23, or 26

Claims 5, 8, 11, 12, 20, 23, and 26 each recite that "membership information stored in the storage device is updated based on user input when one of the users desires to update as the result of changed circumstances".

The Official Actions do not address these claim limitations. Nevertheless, Appellant would like to point out that MACNAUGHTON does not discuss or suggest a user's desire to update. Not only does MACNAUGHTON lack the claimed updating, but MACNAUGHTON also lacks any discussion of the user *desiring* to update his profile. A user desiring to join a new community is not the same (or an obvious variation) as a user desiring to update his membership information. In fact, it is quite possible that the user views it as a burden to complete another membership process for each new community joined, rather than as an opportunity to "update" his profile. Moreover, because MACNAUGHTON does not disclose or suggest any manner of updating the membership information, MACNAUGHTON is unconcerned with whether a user wants to update the membership information.

The above-noted features, which are not disclosed or suggested by MACNAUGHTON, are also not disclosed or suggested by JUNKIN; nor do the outstanding Official Actions assert that the above-noted features are disclosed or suggested by JUNKIN.

Therefore, for at least these additional reasons it is submitted that claims 5, 8, 11, 12, 20, 23, and 26 are patentable over the applied art.

(8) CONCLUSION

Claims 1 – 13, 15 – 28, and 30 are allowable and are not properly rejected under 35 U.S.C. 103(a) as being obvious over MACNAUGHTON et al. in view of JUNKIN.

The applied references are non-analogous art.

Even if the art is analogous, it is submitted that there is no motivation to combine the applied references.

Even if combined, the references fail to teach all of the claimed limitations, namely:

With respect to independent claims 1, 15, 16 and 30, the applied references do not teach or suggest at least comparing at least one retrieval condition with the dynamically updated user-entered text messages.

With respect to claims 13, 15, 28, and 30, the applied references do not teach or suggest at least accepting selection of members from the displayed members, creating a temporary user list including the selected members, and sending a message to the members in the temporary list.

With respect to dependent claims 5, 8, 11, 12, 20, 23, and 26, the applied references do not teach or suggest at least that membership information stored in the storage device is updated based on user input when one of the users desires to update as the result of changed circumstances

Thus, Appellant respectfully submits that each and every pending claim of the present application meets the requirement for patentability under 35 U.S.C. 102, 103,


P23935.A12

and 112, and that the present application and each pending claim are allowable over the prior art of record.

Accordingly, Appellant respectfully requests that the Examiner's decision rejecting claims 1-13, 15-28 and 30 be reversed on all grounds.

Respectfully submitted,
Kazutoyo MAEHIRO

Joshua M. Povsner
Reg. #42,086

A handwritten signature in cursive script, reading "Joshua M. Povsner", written over a horizontal line.

Bruce H. Bernstein
Reg. No. 29,027

October 13, 2006
GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191
(703) 716-1191

CLAIMS APPENDIX

1. A membership information retrieval server for retrieving membership information by accepting at least one retrieval condition from a group of user terminals, comprising:

a storage device for receiving the membership information from a group of users and storing the membership information, the membership information-comprising user-entered text messages that are dynamically updated by the users and the membership information further comprising dynamically updated video game status information;

a retrieval system that compares the at least one retrieval condition with the user-entered information and extracts selected membership information from the storage device; and

a communications system that sends the membership information extracted by the retrieval system to the user terminals from which the at least one retrieval condition are sent.

2. The membership information retrieval server as claimed in claim 1, further comprising:

a determination system that determines whether each of the group of the user terminals is currently online, wherein

the communications server imports the determination results into the membership information and then sends the membership information to the user terminal.

3. The membership information retrieval server as claimed in claim 2, wherein the membership information includes a user name of the member.

4. The membership information retrieval server as claimed in claim 2, wherein the information sent to the retrieval server includes text information.

5. The membership information retrieval server as claimed in claim 2, wherein membership information stored in the storage device is updated based on user input when one of the users desires to update as a result of changed circumstances.

6. The membership information retrieval server as claimed in claim 1, wherein the membership information includes a user name of the member.

7. The membership information retrieval server as claimed in claim 6, wherein the information sent to the retrieval server includes text information.

8. The membership information retrieval server as claimed in claim 6, wherein membership information stored in the storage device is updated based on user input when one of the users desires to update as a result of changed circumstances.

9. The membership information retrieval server as claimed in claim 1, wherein the information sent to the retrieval server includes text information.

10. The membership information retrieval server as claimed in claim 1, wherein the at least one retrieval condition include a character string and the retrieval system extracts membership information on the basis of the character string and the text information included in the membership information.

11. The membership information retrieval server as claimed in claim 9, wherein the membership information in the storage device is updated based on user input when one of the users desires to update as a result of changed circumstances.

12. The membership information retrieval server as claimed in claim 1, wherein the membership information in the storage device is updated based on user input when one of the users desires to update as a result of changed circumstances.

13. A user terminal for accessing the membership information retrieval server as claimed in claim 1, comprising:

a first sending system that enters at least one retrieval condition and sends the at least one retrieval condition to the retrieval server,

a display that displays the membership information sent from the retrieval server;

a creation system that accepts selection of a plurality of members from the members in the membership information displayed by the display and creates a temporary user list that includes membership information about the plurality of selected members;

a first acceptance system that accepts entry of a message to be sent to a user terminals to be used by the plurality of members listed in the temporary user list; and

a second sending system that sends the message accepted by the first acceptance system to the user terminals.

15. A method for sending a message, comprising:

P23935.A12

receiving membership information about members sent from a group of user terminals by a server and storing the membership information in a storage device in the server, the membership information comprising user-entered text messages that are dynamically updated by the users and the membership information further comprising dynamically updated video game status information;

sending at least one retrieval condition to the server from one of the group of user terminals;

comparing the at least one retrieval condition with the dynamically updated user-entered information and determining selected membership information that matches the at least one retrieval condition;

extracting the selected membership information from the storage device and sending the extracted membership information to the user terminal that sent the at least one retrieval condition;

displaying the membership information sent from the server on a display of the user terminal, accepting the selection of a plurality of members included in the displayed membership information to create a temporary user list that includes the membership information about a plurality of accepted members; and

sending a message entered in the user terminal to the plurality of members in the created temporary user list.

16. A method for retrieving membership information by accepting at least one retrieval condition from a group of user terminals, comprising:

receiving membership information about members sent from a group of user terminals and storing the membership information in a storage device in the server, the membership information comprising user-entered text messages that are dynamically updated by the users and the membership information further comprising dynamically updated video game status information;

comparing the at least one retrieval condition with the dynamically updated user-entered information and determining selected membership information that matches the at least one retrieval condition;

extracting the selected membership information; and

sending the extracted membership information from the server to the user terminals that sent the at least one retrieval condition.

17. The method for retrieving membership information as claimed in claim 16, further comprising:

determining whether each of the group of user terminals is online, wherein the server sends the membership information and the determination results.

18. The method for retrieving membership information as claimed in claim 17, wherein the membership information includes a user name of the member.

19. The method for retrieving membership information as claimed in claim 17, wherein the sending information includes text information.

20. The method for retrieving membership information as claimed in claim 17, wherein the membership information to be stored in the storage device is updated

P23935.A12

based on user input when one of the users desires to update as a result of changed circumstances.

21. The method for retrieving membership information as claimed in claim 17, wherein the membership information of the member includes a user name of the member.

22. The method for retrieving membership information as claimed in claim 21, wherein the sending information includes text.

23. The method for retrieving membership information as claimed in claim 21, wherein the membership information to be stored in the storage device is updated based on user input when one of the users desires to update as a result of changed circumstances.

24. The method for retrieving membership information as claimed in claim 17, wherein the sending information includes text.

25. The method for retrieving membership information as claimed in claim 24, wherein the at least one retrieval condition include a character string and the server extracts membership information on the basis of the character string and the text information included in the membership information.

26. The method for retrieving membership information as claimed in claim 24, wherein the membership information to be stored in the storage device is updated based on user input when one of the users desires to update as a result of changed circumstances.

P23935.A12

27. The method for retrieving membership information as claimed in claim 16, wherein the membership information of the member includes a user name of the member.

28. The method for retrieving membership information as claimed in claim 17, further comprising:

sending the at least one retrieval condition entered by the input system to the retrieval server,

displaying the membership information sent from the retrieval server on a display;

accepting selection of a plurality of members from the members in the displayed membership information on the display and creating a temporary user list that includes membership information about the plurality of selected members;

accepting entry of a message to be sent to user terminals of the plurality of members listed in the temporary user list; and

sending the accepted message.

30. A recording medium, storing a readable program, wherein the program executes:

P23935.A12

receiving membership information about members sent from a group of user terminals to store in a storage device of a server, the membership information comprising user-entered text messages that are dynamically updated by the users and the membership information further comprising dynamically updated video game status information;

sending at least one retrieval condition to the server from one of the group of user terminals;

comparing the at least one retrieval condition with the dynamically updated user-entered information to determine selected membership information that matches the at least one retrieval condition;

extracting the selected membership information from the storage device and sending the extracted membership information to the user terminal that sent the at least one retrieval condition;

displaying the membership information sent from the server on displays of the user terminals, accepting selection of a plurality of members included in the displayed membership information to create a temporary user list that includes the membership information about the selected members; and

sending a message entered in the user terminal to the members in the created temporary user list.

P23935.A12

EVIDENCE APPENDIX

None

P23935.A12

RELATED PROCEEDINGS APPENDIX

None